# SAFETY DATA SHEET



### 1. Identification

**Product identifier CIMSTAR® 10-3950** 

METALWORKING FLUID

Other means of identification

SDS number Not applicable

METALWORKING FLUID Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

**Emergency telephone** 

number (outside USA)

1-703-527-3887 (CHEMTREC)

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin irritation Category 2

Serious eye irritation Category 2A Sensitization, skin Category 1

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. **Hazard statement** 

**Precautionary statement** 

Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must Prevention

not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 1.14% of the mixture consists of component(s) of unknown acute oral toxicity. 8.03% of the

mixture consists of component(s) of unknown acute dermal toxicity.

The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

Material name: CIMSTAR® 10-3950 SDS US

1/8

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES		64742-52-5	10 - 20
ETHOXYLATED AMINE		218141-23-2	3 - 5
MONOISOPROPANOLAMINE		78-96-6	3 - 5
TRIETHANOLAMINE		102-71-6	3 - 5
ETHOXYLATED LINEAR ALCOHOLS		9004-98-2	1 - 3
METHYLISOTHIAZOLINONE		2682-20-4	<= 0.2
Other components below reportab	le levels		70 - 80

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eve contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

you feel unwell.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

redness, swelling, and blurred vision. Skin irritation. May cause an allergic skin reaction.

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

# 5. Fire-fighting measures

Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are Suitable extinguishing media

> appropriate to local circumstances and the surrounding environment. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Specific hazards arising from

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

Specific methods

the chemical

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMSTAR® 10-3950 SDS US

## Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### **Environmental precautions**

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

### 7. Handling and storage

#### Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid breathing mist or vapor. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

Value

# 8. Exposure controls/personal protection

#### Occupational exposure limits

U.S. - OSHA

	туре	value	
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)	PEL	5 mg/m3	
ACGIH			
	Туре	Value	
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5) US. ACGIH Threshold Limit Values	TWA	5 mg/m3	
	Туре	Value	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	

#### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

### Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is Eye/face protection recommended

Skin protection

Use protective gloves made of: Nitrile. Hand protection

Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Typo

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

Material name: CIMSTAR® 10-3950 

considerations

# 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.

ColorNot available.OdorChemicalOdor thresholdNot available.

**pH** 9.0

Melting point/freezing point  $< 32 \degree F (< 0 \degree C)$ Initial boiling point and boiling  $> 212 \degree F (> 100 \degree C)$ 

range

Flash point Not Applicable

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Vapor densityNot available.Relative densityNot available.

Solubility(ies) 100 % Water Miscible

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties

Oxidizing properties

PH in aqueous solution

Specific gravity

VOC ASTM D2369

Not explosive.

Not oxidizing.

8.6 @ 5%

0.980

7 %

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

**Hazardous decomposition** 

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

Material name: CIMSTAR® 10-3950 Version #: 05 Issue date: 08-04-2014

Causes eye irritation. Eye contact

Not classified. Ingestion

Symptoms related to the physical, chemical and

toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation. May cause an allergic skin reaction.

Information on toxicological effects

**Acute toxicity** Not known.

Components **Test Results Species** 

ETHOXYLATED AMINE (CAS 218141-23-2)

**Acute** Oral

Liquid

LD50 Rat 1000 - 2000 mg/kg

ETHOXYLATED LINEAR ALCOHOLS (CAS 9004-98-2)

**Acute** 

**Dermal** Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat > 2700 mg/kg

METHYLISOTHIAZOLINONE (CAS 2682-20-4)

**Acute** 

Inhalation

Mist

LC50 Rat 0.11 mg/l, 4 hours

MONOISOPROPANOLAMINE (CAS 78-96-6)

**Acute Dermal** 

Liquid

LD50 Rabbit 1576 mg/kg

Oral

Liquid

LD50 Rat 2813 mg/kg

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

**Acute** 

**Dermal** 

Liquid

Rabbit LD50 > 2000 mg/kg

Inhalation

Mist

LC50 Rat 2.18 mg/l, 4 hr

TRIETHANOLAMINE (CAS 102-71-6)

**Acute** 

**Dermal** 

Liquid

LD50 Rabbit > 2000 mg/kg

Oral

Liquid

LD50 Rat 4190 mg/kg

\* Estimates for product may be based on additional component data not shown.

Causes skin irritation. Skin corrosion/irritation

5/8

SDS US

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Not classified.

**Further information** The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Contains a substance which causes risk of hazardous effects to the environment. **Ecotoxicity** 

Components	Species	Test Results			
METIN/ 100TH 14 701 NONE (040 0000 00 4)					

METHYLISOTHIAZOLINONE (CAS 2682-20-4)

Aquatic

Acute

Fish LC50 Rainbow trout, donaldson trout 4.77 mg/l, 96 hours

(Oncorhynchus mykiss)

MONOISOPROPANOLAMINE (CAS 78-96-6)

Aquatic

LC50 Fish Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

Crustacea EC50 Daphnia 109 mg/l, 48 hours

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

Aquatic

Acute

EC50 > 10000 mg/l, 48 hours Crustacea Daphnia Fish LC50 Fish > 100 mg/l, 96 hours

Chronic

Daphnia Crustacea **NOEC** 10 mg/l, 21 days Fish NOEC Fish > 100 mg/l

TRIETHANOLAMINE (CAS 102-71-6)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours

Acute

LC50 450 - 1000 mg/l, 96 hours Fish Bluegill (Lepomis macrochirus)

#### Persistence and degradability

Material name: CIMSTAR® 10-3950 SDS US 6/8

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

# **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)

MONOISOPROPANOLAMINE -0.93 TRIETHANOLAMINE -2.3

Mobility in soil This product is miscible in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

Not established.

### 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations** 

Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311

and 312 if specific threshold criteria are met or exceeded.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

METHYLISOTHIAZOLINONE (CAS 2682-20-4)

1.0 % One-Time Export Notification only.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Material name: CIMSTAR® 10-3950 7/8

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

Not regulated.

Inventory name

(SDWA)

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

MONOISOPROPANOLAMINE (CAS 78-96-6) Low priority

Food and Drug

Administration (FDA)

### **US state regulations**

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

California South Coast Air **Quality Management District (SCAQMD) Rule** 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 12 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 100 % to maintain compliance.

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

# **International Inventories** Country(s) or region

		- · · · · · · · · · · · · · · · · · · ·
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

### 16. Other information, including date of preparation or last revision

Instability: 0

Issue date 08-04-2014 05-24-2017 **Revision date** 

Version # 05

Disclaimer

**Further information** Not available. NFPA ratings Health: 1 Flammability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

This document has undergone significant changes and should be reviewed in its entirety. **Revision information** 

Material name: CIMSTAR® 10-3950 SDS US

On inventory or exempt (yes/no)\*