



<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC		64742-56-9	10 - 30
C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN		63449-39-8	5 - 10
ALCOHOLS, ETHOXYLATED		106232-83-1	1 - 5
HEXAHYDRO-1,3,5-TRIS (2-HYDROXYETHYL)-S- TRIAZINE		4719-04-4	1 - 5
PETROLEUM SULFONIC ACID, SODIUM SALT		68608-26-4	1 - 5
TRIETHANOLAMINE		102-71-6	1 - 5
ETHOXYLATED FATTY AMINE		61791-26-2	0.5 - 1.5
MORPHOLINE		110-91-8	0.5 - 1.5
ADIPIC ACID		124-04-9	0.1 - 1
MALEIC ANHYDRIDE		108-31-6	0.1 - 1
Other components below reportable levels			30 - 60

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Skin contact</b>	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
<b>Ingestion</b>	Rinse mouth thoroughly. Do not induce vomiting. Drink 1 or 2 glasses of water. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Most important symptoms/effects, acute and delayed</b>	Causes eye irritation. Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. May cause allergic skin reaction. May cause respiratory irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
<b>General information</b>	If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Wear suitable protective equipment.
<b>Fire fighting equipment/instructions</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

**General fire hazards** No unusual fire or explosion hazards noted.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Do not flush spill to drain. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination. Contact local authorities in case of spillage to drain/aquatic environment.

## 7. Handling and storage

**Precautions for safe handling** Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not ingest. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material on clothing. Avoid contact during pregnancy/while nursing. Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Use only in well-ventilated areas. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Wash contaminated clothing before reuse. Practice good housekeeping. Handle and open container with care. Do not empty into drains.

**Conditions for safe storage, including any incompatibilities** To maintain product quality, do not store in heat or direct sunlight. Use care in handling/storage. Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep this material away from food, drink and animal feed. Room temperature - normal conditions. Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### U.S. - OSHA

	Type	Value
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9)	PEL	5 mg/m3

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

	Type	Value
MORPHOLINE (CAS 110-91-8)	PEL	70 mg/m3
MALEIC ANHYDRIDE (CAS 108-31-6)	PEL	1 mg/m3
MORPHOLINE (CAS 110-91-8)	PEL	20 ppm
MALEIC ANHYDRIDE (CAS 108-31-6)	PEL	0.25 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

	Type	Value
MORPHOLINE (CAS 110-91-8)	STEL	105 mg/m3

**US. NIOSH: Pocket Guide to Chemical Hazards**

	Type	Value
		30 ppm
	TWA	70 mg/m3
MALEIC ANHYDRIDE (CAS 108-31-6)	TWA	1 mg/m3
MORPHOLINE (CAS 110-91-8)	TWA	20 ppm
MALEIC ANHYDRIDE (CAS 108-31-6)	TWA	0.25 ppm

**ACGIH**

	Type	Value
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9)	TWA	5 mg/m3

**US. ACGIH Threshold Limit Values**

	Type	Value	Form
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
ADIPIC ACID (CAS 124-04-9)	TWA	5 mg/m3	
MALEIC ANHYDRIDE (CAS 108-31-6)	TWA	0.01 mg/m3	Inhalable fraction and vapor.
MORPHOLINE (CAS 110-91-8)	TWA	20 ppm	

**Exposure guidelines**

**US - California OELs: Skin designation**

MORPHOLINE (CAS 110-91-8) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies**

MORPHOLINE (CAS 110-91-8) Skin designation applies.

**US - Tennessee OELs: Skin designation**

MORPHOLINE (CAS 110-91-8) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

MORPHOLINE (CAS 110-91-8) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

MORPHOLINE (CAS 110-91-8) Can be absorbed through the skin.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

MORPHOLINE (CAS 110-91-8) Can be absorbed through the skin.

**Appropriate engineering controls**

Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.

**Skin protection**

**Hand protection**

Use protective gloves made of: Nitrile.

**Other**

Wear suitable protective clothing and gloves.

**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Appearance</b>	CLEAR
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Not available.
<b>Odor</b>	CHEMICAL
<b>Odor threshold</b>	Not available.
<b>pH</b>	9.0
<b>Melting point/freezing point</b>	< 30 °F (< -1.1 °C)
<b>Initial boiling point and boiling range</b>	> 212 °F (> 100 °C)
<b>Flash point</b>	Not Applicable
<b>Evaporation rate</b>	Like water when diluted
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	100 % Water Miscible
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>pH in aqueous solution</b>	9.0 @ 5%
<b>Specific gravity</b>	1.001
<b>VOC ASTM D2369</b>	5 %

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use. Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Heat, flames and sparks. Contact with incompatible materials.
<b>Incompatible materials</b>	Acids. Avoid contact with oxidizers or reducing agents. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.
<b>Hazardous decomposition products</b>	Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics**

Skin irritation. Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. May cause an allergic skin reaction. May cause respiratory irritation.

**Information on toxicological effects**

**Acute toxicity**

May cause allergic skin reaction. May cause respiratory irritation. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
3-IODO-2-PROPYNYL BUTYLCARBAMATE (CAS 55406-53-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	1.1 g/kg
ADIPIC ACID (CAS 124-04-9)		
<b>Acute</b>		
<i>Dermal</i>		
NOEL	Rabbit	> 7940 mg/kg
<i>Inhalation</i>		
NOEL	Rat	0.126 mg/l, 6 Hours
<i>Oral</i>		
LD50	Mouse	1900 mg/kg
	Rabbit	> 11000 mg/kg
	Rat	5560 mg/kg
ALCOHOLS, ETHOXYLATED (CAS 106232-83-1)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
ETHOXYLATED FATTY AMINE (CAS 61791-26-2)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	500 - 2000 mg/kg
MALEIC ANHYDRIDE (CAS 108-31-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Albino rabbit	> 398 mg/kg
<i>Oral</i>		
LD50	Albino Sprague-Dawley rat	900 mg/kg
	Mouse	465 mg/kg
MORPHOLINE (CAS 110-91-8)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	500 mg/kg 0.5 ml/kg

Components	Species	Test Results
<i>Inhalation</i>		
LC50	Rat	8 mg/l
<i>Oral</i>		
LD50	Guinea pig	0.09 g/kg
	Mouse	720 mg/kg
	Rat	1.05 g/kg
TRIETHANOLAMINE (CAS 102-71-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Guinea pig	5300 mg/kg
	Rat	8 g/kg

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation. Prolonged skin contact may cause temporary irritation. Defatting, drying and cracking of skin.

**Serious eye damage/eye irritation** Causes serious eye irritation. Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not classified.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

MORPHOLINE (CAS 110-91-8) 3 Not classifiable as to carcinogenicity to humans.

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity** May cause harm to breastfed babies.

**Specific target organ toxicity - single exposure** May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** May be harmful if swallowed and enters airways.

**Chronic effects** Prolonged exposure may cause chronic effects.

**Further information** Symptoms may be delayed.

**12. Ecological information**

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

Components	Species	Test Results
3-IODO-2-PROPYNYL BUTYLCARBAMATE (CAS 55406-53-6)		
<b>Aquatic</b>		
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss) 0.05 - 0.089 mg/l, 96 hours
ADIPIC ACID (CAS 124-04-9)		
<b>Aquatic</b>		
Fish	LC50	Fathead minnow (Pimephales promelas) 97 mg/l, 96 hours
<i>Acute</i>		
Crustacea	EC50	Daphnia 46 mg/l, 48 hours

Components	Species	Test Results	
<b>ALCOHOLS, ETHOXYLATED (CAS 106232-83-1)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia	0.1 - 10 mg/l, 48 hours
Fish	LC50	Zebra danio (Danio rerio)	1 - 10 mg/l, 96 hours
<b>C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN (CAS 63449-39-8)</b>			
<b>Aquatic</b>			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 0.1 mg/l, 96 hours
<b>ETHOXYLATED FATTY AMINE (CAS 61791-26-2)</b>			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	3.7 - 7.2 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	1.1 - 1.6 mg/l, 96 hours
<b>MALEIC ANHYDRIDE (CAS 108-31-6)</b>			
<b>Aquatic</b>			
Fish	LC50	Western mosquitofish (Gambusia affinis)	230 mg/l, 96 hours
<b>MORPHOLINE (CAS 110-91-8)</b>			
<b>Aquatic</b>			
Fish	LC50	Zebra danio (Danio rerio)	> 1 mg/l, 96 hours
<b>TRIETHANOLAMINE (CAS 102-71-6)</b>			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10610 - 13010 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential**

**Partition coefficient n-octanol / water (log Kow)**

ADIPIC ACID	0.08
MORPHOLINE	-2.55
TRIETHANOLAMINE	-1

**Bioconcentration factor (BCF)**

MORPHOLINE	< 2.8
------------	-------

**Mobility in soil** This product is miscible in water.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations**

**Disposal instructions** Consult authorities before disposal. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

**14. Transport information**

<b>DOT</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally hazardous substances, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN, ALCOHOLS, ETHOXYLATED), MARINE POLLUTANT



**Transport hazard class(es)**

**Class** 9  
**Subsidiary risk** -  
**Label(s)** 9

**Packing group** III

**Environmental hazards**

**Marine pollutant** Yes

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29

**Packaging exceptions** 155

**Packaging non bulk** 203

**Packaging bulk** 241

Supplemental Information: 49CFR 171.4 excludes "non-bulk" packages (119 gallons or less) from Marine Pollutant Requirements unless all or part of the shipment is by vessel.

**IATA**

**UN number** UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN, ALCOHOLS, ETHOXYLATED)

**Transport hazard class(es)**

**Class** 9  
**Subsidiary risk** -

**Packing group** III

**Environmental hazards** Yes

**ERG Code** 9L

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Other information**

**Passenger and cargo aircraft** Allowed.

**Cargo aircraft only** Allowed.

**IMDG**

**UN number** UN3082

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN, ALCOHOLS, ETHOXYLATED), MARINE POLLUTANT

**Transport hazard class(es)**

**Class** 9  
**Subsidiary risk** -

**Packing group** III

**Environmental hazards**

**Marine pollutant** Yes

**EmS** F-A, S-F


**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

**DOT; IATA; IMDG**



## Marine pollutant



### General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

HEXAHYDRO-1,3,5-TRIS (2-HYDROXYETHYL)-S-TRIAZINE (CAS 4719-04-4) 1.0 % One-Time Export Notification only.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

ADIPIIC ACID (CAS 124-04-9) Listed.  
MALEIC ANHYDRIDE (CAS 108-31-6) Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
3-iodo-2-propynyl butylcarbamate	55406-53-6	0.1 - 1
MALEIC ANHYDRIDE	108-31-6	0.1 - 1

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

MALEIC ANHYDRIDE (CAS 108-31-6)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

### US state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

MORPHOLINE (CAS 110-91-8)

#### US. Massachusetts RTK - Substance List

ADIPIIC ACID (CAS 124-04-9)  
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9)  
MALEIC ANHYDRIDE (CAS 108-31-6)  
MORPHOLINE (CAS 110-91-8)  
TRIETHANOLAMINE (CAS 102-71-6)

**US. New Jersey Worker and Community Right-to-Know Act**

3-iodo-2-propylnyl butylcarbamate (CAS 55406-53-6)  
 ADIPIC ACID (CAS 124-04-9)  
 MALEIC ANHYDRIDE (CAS 108-31-6)  
 MORPHOLINE (CAS 110-91-8)  
 TRIETHANOLAMINE (CAS 102-71-6)

**US. Pennsylvania Worker and Community Right-to-Know Law**

ADIPIC ACID (CAS 124-04-9)  
 MALEIC ANHYDRIDE (CAS 108-31-6)  
 MORPHOLINE (CAS 110-91-8)  
 TRIETHANOLAMINE (CAS 102-71-6)

**US. Rhode Island RTK**

3-iodo-2-propylnyl butylcarbamate (CAS 55406-53-6)  
 ADIPIC ACID (CAS 124-04-9)  
 MALEIC ANHYDRIDE (CAS 108-31-6)

**California South Coast Air Quality Management District (SCAQMD) Rule 1144 (VOC Emissions)**

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 0 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 100 % to maintain compliance.

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

**16. Other information, including date of preparation or last revision**

**Issue date** 05-29-2014

**Revision date** 07-23-2015

**Version #** 02

**Further information** Not available.

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision Information** This document has undergone significant changes and should be reviewed in its entirety.