# SAFETY DATA SHEET



### 1. Identification

**Product identifier CIMTECH® 285 PINK** 

METALWORKING FLUID

Other means of identification

SDS number Not applicable

METALWORKING FLUID Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

1-800-424-9300 (CHEMTREC)

1-703-527-3887 (CHEMTREC)

513-458-8199

Telephone (General

Information)

**Emergency telephone** 

number

**Emergency telephone** number (outside USA)

# 2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1 **Health hazards** Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** May be corrosive to metals. Causes skin and eye irritation.

**Precautionary statement** 

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Avoid release to the environment.

Response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If swallowed: Call a poison center/doctor if you feel unwell. Take off contaminated

clothing and wash it before reuse.

Storage Keep container tightly closed. Protect from sunlight. Store in a well-ventilated place. Store away

from incompatible materials. Store in accordance with local/regional/national/international

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** Not applicable.

# 3. Composition/information on ingredients

**Mixtures** 

Material name: CIMTECH® 285 PINK SDS US 1/9

Chemical name Common name and synonyms		CAS number	%	
TRIETHANOLAMINE		102-71-6	3 - 7	
MONOETHANOLAMINE		141-43-5	1 - 5	
MONOISOPROPANOLAMINE		78-96-6	1 - 5	
NEODECANOIC ACID		26896-20-8	1 - 5	
NONANOIC ACID		112-05-0	1 - 5	
Other components below reportable leve	els		60 - 70	

The exact percentages of hazardous ingredients have been withheld as a trade secret.

### 4. First-aid measures

Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Under

normal conditions of intended use, this material is not expected to be an inhalation hazard.

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing Skin contact

and shoes. If skin irritation or rash occurs: Get medical advice/attention. Wash clothing separately

before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth thoroughly. Do not induce vomiting. Drink 1 or 2 glasses of water. If vomiting occurs Ingestion

naturally, have victim lean forward to reduce risk of aspiration. Call a POISON CENTER or

doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation. Defatting of the skin.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

# 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting

equipment/instructions

Specific methods

General fire hazards

During fire, gases hazardous to health may be formed.

Wear suitable protective equipment.

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

Material name: CIMTECH® 285 PINK 

### 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not breathe vapor. Do not ingest. Do not get this material on clothing. Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Wash contaminated clothing before reuse. Practice good housekeeping. Handle and open container with care. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

To maintain product quality, do not store in heat or direct sunlight. Use care in handling/storage. Keep this material away from food, drink and animal feed. Keep containers closed when not in use. Store in original container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. Room temperature - normal conditions. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

# 8. Exposure controls/personal protection

### Occupational exposure limits

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
US. ACGIH Threshold Limit Value	s		
	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	TWA	3 ppm	

Appropriate engineering controls

Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Hand protection Use protective gloves made of: Nitrile.

Other Wear suitable protective clothing and gloves.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

# 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.

Odor CHEMICAL
Odor threshold Not available.

oH 9.9

< 22 °F (< -5.6 °C) Melting point/freezing point Initial boiling point and boiling > 212 °F (> 100 °C)

range

Not Applicable Flash point

Like water when diluted **Evaporation rate** 

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available.

Not available. Relative density 100 % Water Miscible Solubility(ies)

**Partition coefficient** 

(n-octanol/water)

Not available.

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity** 

Other information

9.1 @ 5% pH in aqueous solution 1.036 Specific gravity VOC ASTM D2369 11 %

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Incompatible materials

Strong acids. Strong oxidizing agents. Avoid contact with oxidizers or reducing agents.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

#### 11. Toxicological information

Information on likely routes of exposure

May be harmful if swallowed. Expected to be a low ingestion hazard. Ingestion

Inhalation Prolonged inhalation may be harmful. No adverse effects due to inhalation are expected.

Skin contact Irritating to skin. Frequent or prolonged contact may defat and dry the skin, leading to discomfort

and dermatitis.

Causes eye irritation. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation. Defatting of the skin.

Information on toxicological effects

May be harmful if swallowed. **Acute toxicity** 

**Test Results** Components **Species** 

MONOETHANOLAMINE (CAS 141-43-5)

**Acute** 

Dermal

Rabbit LD50 1025 mg/kg

Inhalation

LC50 Mouse > 1210 mg/m<sup>3</sup>

Material name: CIMTECH® 285 PINK SDS US

Components	Species	Test Results
Oral		
LD50	Guinea pig	620 mg/kg
	Mouse	700 mg/kg
	Rat	1515 mg/kg
Other		
LD50	Mouse	50 mg/kg
	Rat	67 mg/kg
MONOISOPROPANOLAMIN		o. Mg. g
Acute	(0/10/0000)	
Dermal		
LD50	Rabbit	1576 mg/kg
Inhalation		
LC0	Rat	1005 mg/m³, 3 hours
Oral		.5555 , 564.5
LD50	Rat	1715 mg/kg
		Tr 15 mg/kg
NEODECANOIC ACID (CAS Acute	o 20090-20-0)	
Dermal Dermal		
LD50	Rabbit	> 3160 mg/kg
	Rabbit	> 5100 mg/kg
<i>Inhalation</i> LD50	Rat	> 511 mg/m³
LD30	Nat	_
		> 3 mg/l
Oral	D-4	0000
LD50	Rat	2000 mg/kg
NONANOIC ACID (CAS 112	2-05-0)	
Acute		
Dermal	D-hh:	5 5000 co s/les
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Mouse	15000 mg/kg
Other		
LD50	Mouse	224 mg/kg
TRIETHANOLAMINE (CAS	102-71-6)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Guinea pig	5300 mg/kg
	Rat	8 g/kg
Other		
LD50	Mouse	1450 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. Defatting, drying and cracking of skin.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not classified.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Material name: CIMTECH® 285 PINK

Version #: 02 Issue date: 08-20-2014

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be harmful if swallowed and enters airways.

Chronic effects Prolonged exposure may cause chronic effects.

**Further information** Symptoms may be delayed.

# 12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

Components		Species	Test Results
MONOETHANOLAMI	NE (CAS 141-43-5)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
MONOISOPROPANO	DLAMINE (CAS 78-9	6-6)	
Aquatic			
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours
NONANOIC ACID (CA	AS 112-05-0)		
Acute			
Crustacea	EC50	Daphnia	96 mg/l, 48 hours
Aquatic			
Acute			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	91 mg/l, 96 hours
TRIETHANOLAMINE	(CAS 102-71-6)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10610 - 13010 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31
MONOISOPROPANOLAMINE -1.19
NONANOIC ACID 3.42
TRIETHANOLAMINE -1

Mobility in soil This product is miscible in water.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Consult authorities before disposal. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

Material name: CIMTECH® 285 PINK Version #: 02 Issue date: 08-20-2014

### 14. Transport information

DOT

UN3267 **UN number** 

Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE) **UN** proper shipping name

Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) Ш Packing group

Read safety instructions, SDS and emergency procedures before handling. Read safety Special precautions for user

instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

154 Packaging exceptions Packaging non bulk 203 241 Packaging bulk

Supplemental Information: This Product Concentrate is corrosive only to Aluminum. Per 49CFR 173.154(d)(1) Except for a hazardous substance, a hazardous waste, or a marine pollutant, a material classed as Class 8 Packing Group III, solely because of its corrosive effect on aluminum - is not subject to any other requirements of this subchapter when transported by motor vehicle or rail car in packaging that will not react or be degraded by the corrosive material.

**IATA** 

**UN** number UN3267

**UN** proper shipping name Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE)

Transport hazard class(es)

8 Class Subsidiary risk Packing group Ш **Environmental hazards** No. **ERG Code** 8L

Read safety instructions, SDS and emergency procedures before handling. Read safety Special precautions for user

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Not available.

Cargo aircraft only Allowed.

**IMDG** 

UN3267 **UN** number

**UN** proper shipping name Transport hazard class(es)

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** 

Marine pollutant No. F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



Material name: CIMTECH® 285 PINK 



# 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311

and 312 if specific threshold criteria are met or exceeded. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Not regulated.

**US state regulations** Product is a hazardous substance as defined under the OSHA Hazard Communication Standard

and may be reportable under the provisions of SARA Sections 311 and 312.

**US. Massachusetts RTK - Substance List** 

MONOETHANOLAMINE (CAS 141-43-5) MONOISOPROPANOLAMINE (CAS 78-96-6)

TRIETHANOLAMINE (CAS 102-71-6)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

MONOETHANOLAMINE (CAS 141-43-5) MONOISOPROPANOLAMINE (CAS 78-96-6) TRIETHANOLAMINE (CAS 102-71-6)

US. Rhode Island RTK

Not regulated.

Material name: CIMTECH® 285 PINK SDS US

California South Coast Air Quality Management District (SCAQMD) Rule 1144 (VOC Emissions) This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 84 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 90 % to maintain compliance.

#### **US.** California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

 Issue date
 08-20-2014

 Revision date
 09-12-2014

Version # 02

Further information Not available.

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision Information** Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Multiple Properties

Toxicological information: Specific target organ toxicity - repeated exposure

Material name: CIMTECH® 285 PINK Version #: 02 Issue date: 08-20-2014